

Amendments to the Claims


This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. Canceled.


2. Canceled.

3. (Currently amended) A method of treating, managing or preventing a disease associated with undesired angiogenesis, which comprises administering to a patient in need of such treatment, management or prevention a therapeutically or prophylactically effective amount of ~~a selective cytokine inhibitory drug~~, cyclopropyl-N-{2-[(1S)-1-(3-ethoxy-4-methoxyphenyl)-2-(methylsulfonyl)ethyl]-3-oxoisindoline-4-yl}carboxamide, which has the following structure:



or a pharmaceutically acceptable salt, or solvate, ~~or stereoisomer~~ thereof.

4. (Currently amended) A method of treating, managing or preventing a disease associated with undesired angiogenesis, which comprises administering to a patient in need of such treatment, management or prevention a therapeutically or prophylactically effective amount of ~~a selective cytokine inhibitory drug~~, cyclopropyl-N-{2-[(1S)-1-(3-ethoxy-4-methoxyphenyl)-2-(methylsulfonyl)ethyl]-3-oxoisindoline-4-yl}carboxamide, which has the following structure:



or a pharmaceutically acceptable salt, or solvate, ~~or stereoisomer~~ thereof, and a therapeutically or prophylactically effective amount of a second active ingredient.

5. Canceled.

6. Canceled.

7. (Currently amended) The method of claim 3 or 4, wherein the disease or disorder is ~~diabetic retinopathy, retinopathy of prematurity, corneal graft rejection, neovascular glaucoma, retrolental fibroplasia, proliferative vitreoretinopathy, trachoma, myopia, optic pits, epidemic keratoconjunctivitis, atopic keratitis, superior limbic keratitis, pterygium keratitis sicca, sjogrens, acne rosacea, phlyctenulosis, syphilis, lipid degeneration, bacterial ulcer, fungal ulcer, Herpes simplex infection, Herpes zoster infection, protozoan infection, Kaposi sarcoma, Mooren ulcer, Terrien's marginal degeneration, marginal keratolysis, rheumatoid arthritis, systemic lupus, polyarteritis, trauma, Wegeners sarcoidosis, Scleritis, Steven's Johnson disease, periphigoid radial keratotomy, sickle cell anemia, sarcoid, pseudoxanthoma elasticum, Pagets disease, vein occlusion, artery occlusion, carotid obstructive disease, chronic uveitis, chronic vitritis, Lyme's disease, Eales disease, Bechet's disease, retinitis, choroiditis, presumed ocular histoplasmosis, Bests disease, Stargarts disease, pars planitis, chronic retinal detachment, hyperviscosity syndromes, toxoplasmosis, sclerosing cholangitis, rubeosis, endotoxemia, toxic shock syndrome, osteoarthritis, retrovirus replication, wasting, meningitis, silica induced fibrosis, asbestos induced fibrosis, veterinary disorder, malignancy associated hypercalcemia, stroke, circulatory shock, periodontitis, gingivitis, macrocytic anemia, refractory anemia, or 5q syndrome.~~

8. (Currently amended) The method of claim 2 ~~or~~ 4, wherein the second active ingredient is hematopoietic growth factor, cytokine, anti-cancer agent, antibiotic, cox-2 inhibitor, immunomodulatory agent, immunosuppressive agent,

corticosteroid, or a pharmacologically active mutant or derivative thereof, or a combination thereof.

9. (Previously presented) The method of claim 8, wherein the second active ingredient is oblimersen, melphalan, G-CSF, GM-CSF, EPO, topotecan, pentoxifylline, taxotere, irinotecan, a COX-2 inhibitor, ciprofloxacin, dexamethasone, doxorubicin, vincristine, IL 2, IFN, dacarbazine, Ara-C, vinorelbine, isotretinoin, or a pharmaceutically acceptable salt, solvate, or stereoisomer thereof, or a pharmacologically active mutant or derivative thereof, or a combination thereof.

10. Canceled.

11. (Currently amended) The method of claim ~~10~~ 3 or 4, wherein the ~~selective cytokine inhibitory drug~~ compound is enantiomerically pure.

12 – 24. Canceled.

25. (Currently amended) The method according to ~~any one of claims 1-4~~ claim 3 or 4, wherein the ~~selective cytokine inhibitory drug~~ compound is administered in an amount of from about 1 to about 10,000 mg per day.

26 – 32. Canceled.